DRI-GON

PATIENT INFORMATION LEAFLET
Information for the Patient about DRI-GON

Read all of this leaflet carefully before you start using DRI-GON, because it contains important information

ict is available without a doctor's prescription. Nevertheless you still need to use DRI-GON carefully

- to get the best results from it.

 Keep this leaflet. You may need to read it again.

 If you have further questions, please ask your doctor or pharmacist.

 You must see a doctor if your symptoms worsen or do not improve.

PROPRIETARY NAME (AND DOSAGE FORM):

DRI-GON (Eye Drops). COMPOSITION:

Active Ingredient	Concentration (mg/ml)
*Carboxymethylcellulose sodium	5,0
Preservative: Stabilised Oxychloro Complex	0.05

^{*} Also known as Carmellose.

Other ingredients include boric acid, calcium chloride dihydrate, hydrochloric acid, magnesium chloride hexahydrate, potassium chloride, sodium chloride, sodium hydroxide, sodium lactate, and water for injection.

PRODUCT DESCRIPTION:

DRI-GON is an ophthalmic solution for the relief of dry eye related conditions.

DRI-GON may be used for the temporary relief of ocular burning, irritation, and discomfort associated with dry eyes, or due to exposure to wind, sun or other environmental factors.

DRI-GON may also be used as a protectant against further irritation.

Common causes of dry eyes include computer use, smoking, prolonged contact lens use, certain medications, and aging.

BEFORE YOU USE DRI-GON:

- Do NOT use DRI-GON:

 If you are allergic (hypersensitive) to any of the ingredients in the formulation.

 If you are pregnant or breastfeeding your baby (see "Pregnancy and breastfeeding").

 DRI-GON should not be used to replace any medicines prescribed by your doctor.

Pregnancy and breastfeeding:

Do NOT use DRI-GON while you are pregnant or breastfeeding your baby as safety has not been established. DRI-GON may only be used if you are pregnant or breastfeeding your baby after your doctor has evaluated all the risks and still feels that the benefits outweigh the risks.

The use of DRI-GON by more than one person may spread infections.

Do not use if the tamper-evident seal is broken.

FOR EXTERNAL USE ONLY. NOT FOR INJECTION.

Consult your doctor if you experience eye pain, changes in vision, continued redness, or irritation of the eye.

Discontinue the use of DRI-GON if symptoms worsen or persist for more than 72 hours, and consult your doctor or healthcare professional.

Do not use if the solution's colour changes or becomes cloudy.

RECOMMENDED USE:

Instil one to two drops into the affected eye(s) as needed or as directed by a healthcare professional. Do not use more than 30 days after opening.

DRUG INTERACTIONS:

POSSIBLE SIDE-EFFECTS:

DRI-GON may have side-effects.

Should your general health worsen while using DRI-GON, please consult your doctor, pharmacist or other healthcare professional for advice.

DRI-GON is well tolerated, but occasionally stinging, burning, red eyes, or allergic reactions can occur

after use.

STORAGE INSTRUCTIONS:

Store at or below 25 °C.
Protect from sunlight. Do not freeze.
Keep container tightly closed.
Use this solution within one month (30 days) after opening.
Do not dispose in drains or sewerage systems (e.g. toilets).
KEEP OUT OF REACH OF CHILDREN.

IDENTIFICATION OF DRI-GON:

A clear, colourless solution.


PRESENTATION OF DRI-GON:

10 ml or 15 ml sterile solution contained in a green plastic bottle, with a green plastic dispensing nozzle and plastic cap, packed in an outer carton.

NAME AND BUSINESS ADDRESS OF THE APPLICANT:

LAMAR INTERNATIONAL (PTY) LTD P.O. Box 4972, Tygervalley 7536 Email: info@lamar.co.za

Manufactured by: Sentiss Pharma Pvt. Ltd. Village Khera Nihla, Tehsil Nalagarh, District Solan, HP – 174101, India Mfg. Lic. No.: MNB/06/469



DATE OF PUBLICATION OF THIS PATIENT INFORMATION LEAFLET: May 2015.

LAMAR